

U.V.A. CEF – 100 DT

For the use of a Registered Medical Practitioner or Hospital or a Laboratory only.
Abbreviated Prescribing information for U.V.A. CEF – 100 DT (Cefpodoxime Proxetil tablets I.P. 100mg)

[Please refer the complete prescribing information available at www.torrentpharma.com]

PHARMACOLOGICAL PROPERTIES: Cefpodoxime is a bactericidal agent that acts by inhibition of bacterial cell wall synthesis. Cefpodoxime has activity in the presence of some beta-lactamases, both penicillinases and cephalosporinases, of Gram-negative and Gram-positive bacteria.

DOSAGE AND ADMINISTRATION:

Dosage should be taken as directed by your Physician. Disperse the tablet in a teaspoonful (5 ml) of boiled and cooled water before administration.

CONTRAINDICATION: Known hypersensitivity to cephalosporin antibiotics or to any of the excipients.

WARNINGS & PRECAUTIONS: UVA CEF 100 DT, in the absence of a proven or strongly suspected bacterial infection or a prophylactic indication is unlikely to provide benefit to the patient and increases the risk of the development of drug resistant bacteria.

DRUG INTERACTION: It can interact with Antacids, Probenecid, Nephrotoxic drugs, Certain Drug/Laboratory Test Interactions.

ADVERSE REACTIONS: Diarrhoea, Nausea, Vaginal Fungal Infections, Vulvovaginal Infections, Abdominal Pain, Headache, Dizziness, headache, syncope, Rash, Vaginitis, Abdominal pain and Anxiety.

MARKETED BY:

TORRENT PHARMACEUTICALS LTD.

Torrent House, Off Ashram Road,

Ahmedabad-380 009, INDIA

IN/ U.V.A. CEF – 100 DT 100mg/Aug-2020/01/AbPI

(Additional information is available on request)