

20 January 2020,

Principal Scientific officer
HP State Pollution Control Board,
Parwanoo, H.P.

Subject: Annual Report under Bio Medical Waste Management Rules, 2016.

Dear Sir,

Please find attached herewith duly filled in Form IV as Annual Report of Bio Medical Waste under the Bio Medical Waste (Management) Rules, 2016 as required under Rule 13 of the said rules. The same is for the period from January to December, 2019.

Submitted for your kind information and perusal, please.

Thanking You.

For Torrent Pharmaceuticals Ltd.

Authorized Signatory

Encl.:

Annexure - 1 - Duly filed in Form IV

Cc: Member Secretary, HPPCB, Shimla, H.P.

FORM - IV (See rule13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December year, by the Occupier of **health care facility (HCF)** or common biomedical waste Treatment facility] CBWTF

Sr. Nos	Particulars		
1.	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or operator of facility)		Mr. Sanjay Kumar Roy
	(ii) Name of HCF or CBMWTF		Torrent Pharmaceuticals Limited (Resting Room)
	(iii) Address for Correspondence	•	Vill Bhud Makhnumajra, Tehsil Baddi,Distt - Solan HP
	(iv) Address of Facility		As above
	v) Tel. No, Fax. No :	:	01795-663900
	(vi) E-mail ID :	•	sanjayroy@torrentpharma.com
	(vii) URL of Website	;	www.torrentpharma.com
	(viii) GPS coordinates of HCF or CBMWTF		Coordinates of HCF 30.9555 ⁰ N, 76.7797 ⁰ E
	(ix) Ownership of HCF or CBMWTF		Torrent Pharmaceuticals Limited
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules		Valid up to 31/03/2020, Applied for renewal on 27/12/19.
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to 31/03/2020
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital :	:	No. of Beds: NA
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or another)		OHC (Resting Room)
	(iii) License number and its date of expiry.		BMW/SOL-085, Expiry date 31.03.2020
3.	Details of CBMWTF		NA
<u> </u>	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No of beds covered by CBMWTF		NA NA
	(iii) Installed treatment and disposal capacity of CBMWTF	•	NA
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF		NA .
4.	Quantity of waste generated or		Yellow category: 1334.0438 kg/Annum
	disposed in Kg per annum (on monthly	/	Red category : 1.945 kg/Annum
	average basis)		White category: 0.672 kg/Annum
1			Blue category: 1.866 kg/Annum

			General Solid waste: NA
3.	Details of the Storage, treatment, transport	rtation,	processing and Disposal facility
\ *	(i) Details of the on-site storage facility	•	Size: NA
5.	(I) John Market		Capacity: NA
0.			Provision of on-site storage: (Cold
		•	storage or any other provision)NA
	(ii) Disposal Facilities	: 1	Type of treatment No of unit Capacity Kg/day Quantity treated or disposed in Kg
		1 (1) 1 (1)	per annum Incinerators : Nil
			Incinerators : Nil Plasma Pyrolysis : Nil
			Autoclaves : 03 Nos. (02 Nos.
		<u>.</u>	160 Ltr. and 01 Nos. 5 Ltr.)
			Microwave : Nil
			Hydroclave : Nil
			Shredder Nil
			Needle tip cutter or : Nil
			Destroyer : Nil
1			Sharps : Nil
1		, V.	Encapsulation or : Nil
			Concrete pit : Nil
			Deep burial pits Nil
			Chemical Disinfection : Chemical
		100	disinfection is done
			as per BMW Rules
			using 1%-2%
			Sodium
			Hypochlorite having
,			30% Free Residual
			Chlorine.
			Any other treatment : Nil
			Equipment
			(Bio Medical Waste generated at site is
			disposed off to CBMWTF i.e. M/s Enviro
1			Engineers, Shimla, H.P.)
	(iii) Quantity of recyclable wastes sold		Red category (like plastic, glass etc.)
	to authorized recyclers after treatment		(Entire Bio Medical Waste is disposed off
	in kg per annum		to CBMWTF, i.e. M/s Enviro Engineers,
			Shimla, H.P.)
	(iv) No of vehicles used for collection	:	Vehicle specially designed for
	and transportation of biomedical waste		transportation of BMW is provided by
			CBMWTF i,e. M/s Enviro Engineers,
	The state of the s		Shimla
	(v) Details of incineration ash and ETP	1:	Quantity Where
	sludge generated and disposed during		generated Disposed
	the treatment of wastes in Kg per		Incineration/
	annum		Ash/ETP NA
			Sludge
	(vi) Name of the common Bio -	1:	M/s Enviro Engineers, Shimla, H.P.
	Medical Waste Treatment Facility		
	operator through which waste are		
	disposed of		
	(vii) List of member HCF not handed	:	NA NA
	over bio medical waste.		
	Do you have bio medical waste		Existing Safety Committee at site reviews
6.	management committee? If yes,		the overall HSE performance including Bio

during the reporting period. Details training conducted on BMW (i) Number of training conducted on BMW Management. (ii) Number of personnel trained 7. (iii) Number of personnel trained at the time of induction (iv) Number of personnel not undergone any training so far (v) Whether standard manual for training is available? (vi) any other information Details of the accident occurred during the year (i) Number of personnel not undergone any training is available? (vi) any other information Nil Details of the accident occurred during the year (i) Number of personnel trained (iii) Number of personnel not undergone any training so far (v) Whether standard manual for training is available? (vi) any other information Nil Details of training conducted on Six monthly basis. Mol Nall new joineds Nil Nil 8. (iii) Number of personnel rained at the time of induction (iii) Number of accident occurred during the year (i) Number of the persons affected (iii) Number of the persons affected (iii) Remedial action taken (please attach details if any) (iv) Any fatality occurred, details. 9. Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	_	attach minutes of the meeting held	T	Modical wests handling and I
Details training conducted on BMW (i) Number of training conducted on BMW in Training Conducted on six monthly basis Records Attached as Annexure-II (ii) Number of personnel trained in Cili Number of personnel trained in Industrial Industri		during the reporting period.		monthly basis MOM sample for One
(i) Number of training conducted on BMW (i) Number of training conducted on BMW Management. (ii) Number of personnel trained : Total 19 nos. personnel are trained (iii) Number of personnel trained at the time of induction (iv) Number of personnel not undergone any training so far (v) Whether standard manual for training is available? (vi) any other information : Nil Details of the accident occurred during the year (i) Number of the persons affected : Nil (iii) Remedial action taken (please attach details if any) (iv) Any fatality occurred, details : Nil 9. Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?				month attached as Annexure-I
(ii) Number of training conducted on BMW Management. (iii) Number of personnel trained : Total 19 nos. personnel are trained (iii) Number of personnel trained at the time of induction (iv) Number of personnel not undergone any training so far (v) Whether standard manual for training is available? (vi) any other information : Nil Details of the accident occurred during the year (i) Number of accident occurred : Nil (ii) Number of the persons affected : Nil (iii) Nemedial action taken (please attach details if any) (iv) Any fatality occurred, details. 9. Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?			:	Training Conducted on six monthly basis.
7. (iii) Number of personnel trained at the time of induction (iv) Number of personnel not undergone any training so far (v) Whether standard manual for training is available? (vi) any other information Details of the accident occurred during the year (i) Number of accident occurred Nii (ii) Number of the persons affected (iii) Remedial action taken (please attach details if any) (iv) Any fatality occurred, details. Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		BMW Management.	:	02
7. (iii) Number of personnel trained at the time of induction (iv) Number of personnel not undergone any training so far (iv) Whether standard manual for training is available? (iv) any other information Details of the accident occurred during the year (i) Number of accident occurred (ii) Number of the persons affected (iii) Remedial action taken (please attach details if any) (iv) Any fatality occurred, details. 9. Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		(ii) Number of personnel trained	1:	Total 19 nos. personnel are trained
undergone any training so far (v) Whether standard manual for training is available? (vi) any other information Details of the accident occurred during the year (i) Number of accident occurred (ii) Number of the persons affected (iii) Remedial action taken (please attach details if any) (iv) Any fatality occurred, details. Nil Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	7.	(iii) Number of personnel trained at the time of induction	•	_
(v) Whether standard manual for training is available? (vi) any other information : Nil Details of the accident occurred during the year (i) Number of accident occurred : Nil 8. (ii) Number of the persons affected : Nil (iii) Remedial action taken (please attach details if any) (iv) Any fatality occurred, details. : Nil 9. Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		undergone any training so far	•	Nil
Details of the accident occurred during the year (i) Number of accident occurred		(v) Whether standard manual for training is available?	:	Training module in place
the year (i) Number of accident occurred (ii) Number of the persons affected (iii) Remedial action taken (please attach details if any) (iv) Any fatality occurred, details. 9. Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		(vi) any other information		Nil
(ii) Number of the persons affected (iii) Remedial action taken (please attach details if any) (iv) Any fatality occurred, details. 9. Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		the year		Nil
(iii) Remedial action taken (please attach details if any) (iv) Any fatality occurred, details. 9. Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		(i) Number of accident occurred		Nil
attach details if any) (iv) Any fatality occurred, details. 9. Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? Yes, Always complying with the norms	8.	(ii) Number of the persons affected	:	Nil
9. Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 13. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		attach details if any)	:	Nil
pollution from the incinerator? How many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 13. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?			:	Nil
many times in last year could not met the standards Details of continuous online emission monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? NA	9.	pollution from the incinerator? How		NA
monitoring systems installed 10. Liquid waste generated and treatment method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? Full-fledged ETP installed. Always complying with the norms Yes, Always complying with the norms		many times in last year could not met the standards		
method in place. How many times you have not met the standards in a year? 11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? Full-fledged ETP installed. Always complying with the norms Yes, Always complying with the norms		monitoring systems installed		NA
11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? Yes, Always complying with the norms		method in place. How many times you have not met the standards in a year?		
10 the the standards in a year?	11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have		Yes, Always complying with the norms
12. Any other relevant information : NA	12.	Any other relevant information		NA

Certified that the above report is for the period from 1st January 2019 to 31st December 2019.

Name and Signature of the head of the Institution

Date: 20/01/20

Place: Badeli.

er code 448	E	Consignee Code Company H. P. Star Attn. Address Control City Tel. Pay Loan occ E-mail:	Boasd Sket Comple: Pin 1732	NON NEGOTIABLE-AT OWNER'S RIS BLUE DART EXPRESS LIMITED DOMESTIC PRIORITY ORG SC DST SC
the distribution of the di	Description 1941	Consignment	Code INSURANCE The Shipper has stated that He has not insured the Const He has insured the Const Insurance Policy No. Amount Insurance Company	PKgs DOX-01 Non DOX-02
Emp# 10Y of	Onland Anything divalue I 9 Company Recomments Surface of the Same Tipe 100 pan Silabiniy entitis: 10	Credit (2) BTP (4) Cr. Card (3) PNot that is the credit of	MDENCE GST (Rs.) 9 Oash Memo # Any Oukone SST, dules, taxes sis may be applied the time of delivery of the stripment BDC receives paid intuit interspend of Freight Qualons, GST T Special Instructions.	Others) 3 otal December of the service of the ser