

BIO-MEDICAL WASTE (MANAGEMENT & HANDLING) FORM IV (See rule 13)

TORRENT PHARMACEUTICALS LTD, PLOT NO.811, SECTOR III, PITHAMPUR INDUSTRIAL ESTATE DIST DHAR, PITHAMPUR - 454775, DIST : I/A - Pithampur

Mobile No: 7069039423

ANNUAL REPORT

[TO be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sr No:	Particulars Particulars	
1.	Particulars of the Occupier	
	(i) Name of the authorized person:	SISIRKUMAR BERA
	(ii) Name of HCF or CBWTF:	TORRENT PHARMACEUTICALS LTD
	(iii) Address for Correspondence:	PLOT NO.811, SECTOR III, PITHAMPUR INDUSTRIAL ESTATE, DIST DHAR, PITHAMPUR-454775, Dist: I/A - Pithampur, Tal: Pithampur Taluka
	(iv) Address of Facility:	Hoswin Incinerator Pvt. ltd 196 A-198 B, Sector-F, Sanwer Road, Indore, Dist:
	(v) Tel. No, Fax. No:	7069039423
	(vi) E-mail ID :	sisirkumarbera@torrentpharma.com
	(vii) URL or Website :	
	(viii) GPS coordinates of HCF or CBWTF:	Leti: 22.6106, Long: 75.6808
	(ix) Ownership of HCF or CBWTF:	Private
	(x)Status of Authorization under BMW Rules:	Auth No: BMW-31,0581, Valid Upto: 12/31/2033
	(xi) Status of Consent under Water, Air Act:	Consent No:, Valid Upto: 1/1/1900

Typ	Type of Health Care Facility					
2	(i) Bedded Hospital	O CONTRACTOR OF THE CONTRACTOR				
2	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	OTH-Other				
2	(iii) License number and its date of expiry	Not applicable as we are pharma manufacturing				
Qua	Quantity of waste generated or disposed in Kg per annum(on monthly average basis)					
4	(i) Yellow Category	\$6.948				
4	(ii) Red Category	0.000				
4	(iii) White Category	0.000				
4	(iv) Blue Category	0.000				
4	(v) General Solid Waste	0.1				
Deta	Details of the Storage, treatment, transportation, processing and Disposal Facility					
5	(i) Details of the on-site storage facility	Dedicated storage with closed drum for storage	***************************************			
5	(ii) Treatment Facility	AUC-Autoclaving, NDS-Needle Cutter, Disinfection / Shredding				
5	recyclers after treatment in kg per annum.	0.1	***************************************			
5	(iv) No. of vehicles used for collection and transportation of biomedical waste	28				
5	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of waste in Kg per annum	o	***************************************			
5	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Hoswin Incinerator Pvt. ltd				







BIO-MEDICAL WASTE (MANAGEMENT & HANDLING) FORM IV (See rule 13)

TORRENT PHARMACEUTICALS LTD, PLOT NO.811, SECTOR III, PITHAMPUR INDUSTRIAL ESTATE DIST DHAR, PITHAMPUR - 454775, DIST: I/A - Pithampur

ANNUAL REPORT

Mobile No: 7069039423

BM	W management committee		
6	Do you have bio-medical waste management committee ? If yes, attach minutes of the meetings held during the reporting period	Yes attached.We hat control of biomedic treatment storage and disposal.SOP Training all concerned.	al waster
Det	ails trainings conducted on BMW		
7	(i) Number of trainings conducted on BMW Management	1	
7	(ii) Number of Personnel trained	12	
7	(iii) Number of personnel trained at the time of induction	12	
7	(iv) Number of personnel not undergone any training so far	0	
7	(v) Whether standard manual for training is available	Yes	
7	(vi) Any other information	SOP for handling BMW	
Det	ails of the accident occurred during the year		
8	(i) Number of Accident occurred	0	
8	(ii) Number of the persons affected	0	
8	(iii) Remedial Action taken (Please attch details if any)	NA	
8	(iv) any Fatality Occurred, details	0	
		2	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Ξ
9	Details of Cuntinuous online emission monitoring ststems installed	0	
1-0	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year	0	
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	No. NOT APPLICABLE	3
12	Any other relevant information	NA	

Certified that the above report is for the period from

Date: 20/02/21

Printed On: 20/02/2021

Place: Pithampur

Name and Sign of The Head of HCF