

4th March, 2022

Principal Scientific officer HP State Pollution Control Board, Parwanoo, H.P.

Subject: Annual Report under Bio Medical Waste Management Rules, 2016.

Dear Sir,

Please find attached herewith duly filled in Form IV as Annual Report of Bio Medical Waste under rule 13 of Bio Medical Waste (Management) Rules, 2016. The same is for the period from 1st January 2021 to December, 2021.

Submitted for your kind information and perusal, please.

Thanking You.

For Torrent Pharmaceuticals Ltd.

uthorized Signatory

Encl.:

- Annexure 1 Duly filed in Form IV
- Annexure 2 Training Records
- Annexure 3 MOM of Safety Committee
- Annexure 4 Accident Reporting Form I

Cc: Member Secretary, HPSPCB, Shimla, H.P.

FORM - IV (See rule13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December year, by the Occupier of **health care facility (HCF)** or common biomedical waste Treatment facility] CBWTF

Particulars of the Occupier		
(i) Name of the authorised person (occupier or operator of facility)	•	Mr. Sanjay Wadhwani, GM Engg & HSE
(ii) Name of HCF or CBMWTF	:	Torrent Pharmaceuticals Limited (Resting Room)
(iii) Address for Correspondence	•	Vill Bhud Makhnumajra, Tehsil Baddi,Distt - Solan HP
(iv) Address of Facility	:	As above
v) Tel. No, Fax. No :	•	01795-663900
(vi) E-mail ID :	:	sanjaywadhwani@torrentpharma.com
(vii) URL of Website	į.	www.torrentpharma.com
(viii) GPS coordinates of HCF or CBMWTF	•	Coordinates of HCF 30.9555 °N, 76.7797 °E
(ix) Ownership of HCF or CBMWTF	(3))	Torrent Pharmaceuticals Limited
(x). Status of Authorisation under the Bio-Medical Waste (Management and	:	BMW/SOL-085, Valid up to 31/03/2025,
(xi). Status of Consents under Water	•	CTO/BOTH/RENEW/RO/2020/1573388 Valid up to 31/03/2030
Type of Health Care Facility	:	
(i) Bedded Hospital :	:	No. of Beds: NA
(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or another)	:	OHC (Resting Room)
(iii) License number and its date of	:	BMW/SOL-085, Expiry date 31.03.2025
Details of CBMWTF	:	NA
The state of the s		NA
(ii) No of beds covered by CBMWTF	:	NA
capacity of CBMWTF		NA
(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA
Quantity of waste generated or	. 1	Yellow category: 740.47 kg/Annum Red category: 5.19 kg/Annum White category: 0.36 kg/Annum Blue category: 0.2 kg/Annum General Solid waste: NA , processing and Disposal facility
	1) (i) Name of the authorised person (occupier or operator of facility) (ii) Name of HCF or CBMWTF (iii) Address for Correspondence (iv) Address of Facility v) Tel. No, Fax. No: (vi) E-mail ID: (vii) URL of Website (viii) GPS coordinates of HCF or CBMWTF (ix) Ownership of HCF or CBMWTF (x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules (xi). Status of Consents under Water Act and Air Act Type of Health Care Facility (i) Bedded Hospital: (ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or another) (iii) License number and its date of expiry. Details of CBMWTF (i) Number healthcare facilities covered by CBMWTF (ii) Installed treatment and disposal capacity of CBMWTF (iv) Quantity of biomedical waste treated or disposed by CBMWTF Quantity of waste generated or disposed in Kg per annum (on monthly	1) (i) Name of the authorised person (occupier or operator of facility) (ii) Name of HCF or CBMWTF (iii) Address for Correspondence (iv) Address of Facility v) Tel. No, Fax. No: (vi) E-mail ID: (vii) URL of Website (viii) GPS coordinates of HCF or CBMWTF (ix) Ownership of HCF or CBMWTF (ix) Ownership of HCF or CBMWTF (ix) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules (xi). Status of Consents under Water Act and Air Act Type of Health Care Facility (i) Bedded Hospital: (ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or another) (iii) License number and its date of expiry. Details of CBMWTF (i) Number healthcare facilities covered by CBMWTF (ii) No of beds covered by CBMWTF (iii) Installed treatment and disposal capacity of CBMWTF (iv) Quantity of biomedical waste treated or disposed in Kg per annum (on monthly

	(2) Details of the on site storage facility		Dedicated storage area for bio medical
5.	(i) Details of the on-site storage facility	:	waste storage near bus parking area
			main gate.
	(ii) Disposal Facilities		Type of treatment No of unit Capacity Kg/day Quantity treated or disposed in Kg per annum Incinerators : Nil Plasma Pyrolysis : Nil Autoclaves : 02 Nos. Microwave : Nil Hydroclave : Nil Shredder : Nil Needle tip cutter or : Nil Needle tip cutter or : Nil Destroyer : Nil Sharps : Nil Encapsulation or : Nil Concrete pit : Nil Chemical Disinfection : Chemical disinfection is done as per BMW Rules using 1%-2% Sodium Hypochlorite Any other treatment : Nil Equipment (Bio Medical Waste generated at site is disposed off to CBMWTF i.e. M/s Enviro Engineers, Shimla, H.P.)
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum	:	0.0 (Entire Bio Medical Waste including any such recyclable items contaminated with BMW is disposed off to CBMWTF, i.e. M/s Enviro Engineers, Shimla, H.P)
ii b	(iv) No of vehicles used for collection and transportation of biomedical waste	:	Vehicle specially designed for transportation of BMW is provided by CBMWTF only i,e. M/s Enviro Engineers, Shimla
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Not Applicable We are an Industrial unit having no incinerator. Separate ETP is provided for treatment industrial effluent.
	(vi) Name of the common Bio – Medical Waste Treatment Facility operator through which waste are disposed of		M/s Enviro Engineers, Shimla, H.P.
	(vii) List of member HCF not handed over bio medical waste.	:	NA
6.	Do you have bio medical waste management committee? If yes, attach minutes of the meeting held during the reporting period.		Existing Safety Committee at site reviews the overall HSE performance including Bio Medical waste handling and disposal system and data on monthly basis. MOM on dated 26/06/2021 and dated 31/12/2021 are attached for reference as Annexure-I.
	Details training conducted on BMW	i	Training Conducted on six monthly basis. Records Attached as Annexure-II
	(i) Number of training conducted on BMW Management.		02
	(ii) Number of personnel trained	:	Total 19 nos. personnel are trained

			A II
	(III) I tallibor of policerinier	•	All new joinees
7.	time of induction		
	(iv) Number of personnel not	:	Nil
	undergone any training so far		
	(v) Whether standard manual for	;	Training module in place
	training is available?		
	(vi) any other information		Nil
	Details of the accident occurred during	:	Nil
	the year		
	(i) Number of accident occurred	9.2	Nil
8.	(ii) Number of the persons affected		Nil
0.	(iii) Remedial action taken (please	(90)	Not Applicable
	attach details if any)	620	9 21/2000 ST 1927/2 11
	(iv) Any fatality occurred, details.	97 8 11 97 8 1	Nil
	1 1 5	3.00	
9.	Are you meeting the standards of air	1	Not Applicable.
	pollution from the incinerator? How		There is no incinerator at site. We have
	many times in last year could not met		Agreement with HPSPCB Approved
	the standards		CBWTF i.e. Enviro Engineers for disposal
			of BMW.
	Details of continuous online emission	1	Not Applicable
	monitoring systems installed		
10.	Liquid waste generated and treatment	1	Not Applicable
	method in place. How many times you		
	have not met the standards in a year?		
11.	Is the disinfection method or	;	Disinfection of biomedical waste is carried
** 542	sterilization meeting the log 4		out by 1-2 % of sodium hypochlorite
	standards? How many times you have		solution for approx. 20 minutes and then
	not met the standards in a year?		after treatment bio medical waste
	A STATE OF THE STA		collected in category wise colour coded
			bags/container and sent to M/s Enviro
			engineers (CBWTF) for further disposal.
12.	Any other relevant information		Nil
52.5454.5			

Certified that the above report is for the period from 1st January 2021 to 31st December 2021.

Name and Signature of the head of the Institution

Date: osfo3/2022 Place: Baddi

FORM – I [(See rule 4(0), 5(i) and 15 (2)] ACCIDENT REPORTING

- 1. Date and time of accident: NA
- 2. Type of Accident: NA
- 3. Sequence of events leading to accident: NA
- 4. Has the Authority been informed immediately: NA
- 5. The type of waste involved in accident: NA
- 6. Assessment of the effects of the accidents on human health and the environment: NA
- 7. Emergency measures taken: NA
- 8. Steps taken to alleviate the effects of accidents: NA
- 9. Steps taken to prevent the recurrence of such an accident: NA
- 10. Does you facility has an Emergency Control policy? If yes give details:

Yes, TPL has well established Emergency Preparedness and Response Plan in place.

Date: 01/03/2022 Signature Mkadhwawi

Place: Baddi Designation GM-HSE4 Engg



TORRENT PHARMACEUTICALS LIMITED - BADDI.

Page 2 of 3

MINUTES OF SAFETY COMMITTEE MEETING

4
CCIDENT
Z
Z
0
5
H
H
H
A
IL
à
••

d cince last SCM:

SI	No.	Details of a
Shared in PPT	Description of Accident /Incident /Near Miss	Details of accidents / incidents / near miss happened since last SCIVI.
	CALA	CABA
	Committee	Remark of

SPECIFIC SAFETY ISSUES LIKE SAFETY TRAINING/SAFETY EVENT/SAFETY SUGGESTION / RISK ASSESSMENT / SAFETY

- AUDIT REVIEW / SAFETY SURVEY REVIEW ETC.:
- NEW ISSUES RELATED TO SAFETY & ACTION PLAN: 26th June, 2021

must remain manned	QC Labs have been for 3 it was decided long	way. Leads obstruction	Many times observed the main entrance of		Cylinders were found 1 area. Action may be ta		Sr.	0
must remain manned Bio medical waste generation and disposal records were found HSE to maintain compliance on	QC Labs have been found unmanned during C Shift although Section incharge to commit action it was decided long back that area being highly critical, it taken and ensure compliance without	way. Leads obstruction in case of care.	boxes placed at emergency exit		Cylinders were found laying on ground in New land open area. Action may be taken against contractor if not complying. with cap & chains arrangements.	1 VI lond onen	Concern or Problem	
HSE to maintain compliance on regular basis	taken and ensure compliance without		chemical storage area and emergency exit should be obstruction free.	All such chemicals to be placed at	with cap & chains arrangements.	To be kent in cylinder storage shed	Action to be taken	
HSE	K	20	QC	A.	Engg.		Action by	
Being maintained	taken and person deployed	Immediate action	been given to all concerned to ensure compliance	Instructions have	removed on priority	Got the same	TCD	



TORRENT PHARMACEUTICALS LIMITED - BADDI.

MINUTES OF SAFETY COMMITTEE MEETING

Page 3 of 3

		6	5	
all collectified for regimings and impromendation.	all concerned for learnings and implementation	All the incidents happening at other locations are shared with CAPA status to	Hazardous waste generation and disposal data were checked and found in compliance as per requirements	given the job for ensuring compliance
	concerned dept.	CAPA status to be confirmed by the	HSE to maintain the same	
		All concerned	HSE	
	84	Being maintained	Being maintained	

ADJOURNMENT:

Prepared By, INCHARGE – HSE

Copy To: - Chairman, Secretary, all members, all HODs.



TORRENT PHARMACEUTICALS LIMITED - BADDI.

MINUTES OF SAFETY COMMITTEE MEETING

Page 1 of 3

Venue: - SCM through Telecon and Email Date: -31/12/21

Time: Shared through email

Member present: SCM through Telecon and Email

Special invitees present if any: -

NA	Sr. No.	
NA .	Name of special invitee	

OPENING REMARKS:

ACTION STATUS OF LAST MEETINGS:

Completed issues of previous meeting:

27	Sr.
Total 113 points have been completed	Concern or Problem
	Action taken
	Action by
-	Date of completion

Pending issues of previous meetings:

11	Sr.
Total	Concern or Problem
4 points have been reported as Pending as on date	Revised action/ Justification
	Action by
	Revised TCD



TORRENT PHARMACEUTICALS LIMITED - BADDI.

MINUTES OF SAFETY COMMITTEE MEETING

Page 3 of 3

9. Hazardous waste generation and disposal data were HSE to maintain the	8. Bio medical waste generation and disposal records were found in compliance as per requirements as HSE team has been given the job for ensuring compliance	7. Emergency Exit in main QC area has been blocked by destruction room. This has been repeatedly observed accessible all the times	6. MS plates on the staircase landing in ETP area has been HSE team has been informed for rectification found corroded which need replacement
re HSE to maintain the ongoing compliance on the same	HSE to maintain the ongoing compliance on the same	Need to remove the destruction related activities /tool from the area to make it freely accessible all the times	n HSE team has been informed for rectification on priority
HSE	HSE	QC	HSE
Ongoing	Ongoing	Rectified	Replaced

ADJOURNMENT:

Prepared By, INCHARGE – HSE

Copy To: - Chairman, Secretary, all members, all HODs.



	KIA	2	00,000	COD Varsion No	- 03
Form No	NA	Reference SOP No.	CQA-093	SCT Version No.	20

ON JOB TRAINING PARTICIPATION & EVALUATION RECORD

(FOR SELF ONLINE TRAINING RELATED TO GMP/SOPs)

: BIO-MEDICAL WASTE MANAGEMENT SYSTEM : BSG-041 - 03

Subject of GMP/SOP

Module/SOP Ref. No.

Purpose : Re-Fresher Training

4	u)	2	-	No.
SATBIR SINGH	MAHADEV	SHTV SHANKAR	NARA SINGH DANGI	ATEET KUMAR GUPTA	Name of Employee
118791	118081		116256	115672	Emp. Code
А-М	п Х		EXE	A-M	Desig.
QUALITY	CONTROL	OUALITY	HEALTH/SAFET Y/ENVIRONME NT	HEALTH/SAFET Y/ENVIRONME NT	Dept.
24/06/21	28/06/21	22/06/21	22/06/21	03/07/21	Eval. Date
Ľ	2	H	1	⊢	No. Of Attempts
100%	100%	80%	100%	90%	Eval.
Qualified	Qualified	Not Qualified	Qualified	Qualified	Perform. Eval.
ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	Scheduled By
118791 - SATBIR SINGH - 24/06/21 11:34:15	118081 - SHIV SHANKAR MAHADEV - 28/06/21 14:50:13	118081 - SHIV SHANKAR MAHADEV - 22/06/21 14:01:11	116256 - NARA SINGH DANGI - 22/06/21 20:00:53	115672 - ATEET KUMAR GUPTA - 03/07/21 11:11:12	Sign of Trainee
116256 - NARA SINGH DANGI - 04/07/21 08:13:00	116256 - NARA SINGH 116605 - DANGI - 04/07/21 ABHISHE 08:13:00 - 06/07/; 12:06:46	116256 - NARA SINGH 116605 - DANGI - 04/07/21 ABHISHE 08:11:21 - 06/07/; 12:06:30	116256 - NARA SINGH 116605 DANGI - 04/07/21 ABHISH 08:11:22 - 06/07, 12:06:3	116256 - NARA SINGH 116605 DANGI - 04/07/21 ABHISH 08:14:33 - 06/07 12:07:0	Verified by (Incharge of area)
116605 - ABHISHEK THAKUR - 06/07/21 12:06:46	116605 - ABHISHEK THAKUR - 06/07/21 12:06:46	116605 - ABHISHEK THAKUR - 06/07/21 12:06:30	116605 - ABHISHEK THAKUR - 06/07/21 12:06:30	116605 - ABHISHEK THAKUR - 06/07/21 12:07:02	Verified by (Sign of QA)

is valid v	This do
without	cument I
Signatur	nas been
æ	produce
	d electronical
	ly and

Page No.001 of 004

Restricted Circulation

•	ì	О
75	į	7
Ŧ	-	7
3	-	4
3	1	annet more

TITLE: ON JOB T	RAINING PARTICIPAT	ION & EVALUATION RECORD (Reference SOP No.	Form No. NA Reference SOP No. CQA-093 CQA-093 SOP Version No.	SOP Version No.	02
Form No.	NA	Reference SOP No.	CQA-093	SOP Version No.	02
THE REAL PROPERTY OF THE PROPE		TORR	TORRENT PHARMACEUTICALS LTD.		
		ON JOB TRAINING	ON JOB TRAINING PARTICIPATION & EVALUATION RECORD	ON RECORD	1.
		(FOR SELF O	FOR SELF ONLINE TRAINING RELATED TO GMP/S	/SOPs)	*:

: BIO-MEDICAL WASTE MANAGEMENT SYSTEM
: BSG-041 - 03

Purpose

: Re-Fresher Training

Module/SOP Ref. No.

Subject of GMP/SOP

					30
œ	7	<u>ه</u>		ъ	No.
VIJAY KUMAR	PARDEEP KUMAR	ARPANA PANDIT		KULDEEP KUMAR JAMWAL	Name of Employee
125637	125513	122615		122463	Emp. Code
4	EXE	EXE	1	EXE	Desig.
HEALTH/SAFET Y/ENVIRONME NT	HEALTH/SAFET Y/ENVIRONME NT	CONTROL	OUALITY	QUALITY	Dept.
23/06/21	16/06/21	29/06/21	22/06/21	29/06/21	Eval. Date
н	Ц	2	1	щ	No. Of Attempts
100%	100%	100%	80%	100%	Eval.
Qualified	Qualified	Qualified	Not Qualified	Qualified	Perform. Eval.
ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	Scheduled By
125637 - VIJAY KUMAR - 23/06/21 17:40:50	125513 - PARDEEP KUMAR - 16/06/21 21:04:10	122615 - ARPANA PANDIT - 29/06/21 08:56:15	122615 - ARPANA PANDIT - 22/06/21 10:50:33	122463 - KULDEEP KUMAR JAMWAL - 29/06/21 09:00:52	Scheduled By Sign of Trainee
116256 - NARA SINGH DANGI - 04/07/21 08:13:00	116256 - NARA SINGH DANGI - 28/06/21 08:46:21	122615 - ARPANA 116256 - NARA SINGH PANDIT - DANGI - 04/07/21 29/06/21 08:14:33	116256 - NARA SINGH DANGI - 04/07/21 08:11:21	116256 - NARA SINGH DANGI - 04/07/21 08:14:33	Verified by (Incharge of area)
1116605 - ABHISHEK THAKUR - 06/07/21 12:06:46	116605 - ABHISHEK THAKUR - 29/06/21 16:42:27	116605 - ABHISHEK THAKUR - 06/07/21 12:07:01	116605 - ABHISHEK THAKUR - 06/07/21 12:06:30	116605 - ABHISHEK THAKUR - 06/07/21 12:07:01	Verified by (Sign of QA)

TO 12 September 12	is valid without Signature
Page No.002 of 004	This document has been produced electronically and

Restricted Circulation



NA	Reference SOP No.	CQA-093	SOP Version No.	02

ON JOB TRAINING PARTICIPATION & EVALUATION RECORD

(FOR SELF ONLINE TRAINING RELATED TO GMP/SOPs)

: BIO-MEDICAL WASTE MANAGEMENT SYSTEM

Purpose

Module/SOP Ref. No.

: BSG-041 - 03

: Re-Fresher Training

Subject of GMP/SOP

12	F	0	10	9	No.
AMIT KUMAR	SHASHI PAUL	v	ABHISHEK UPADHYAY	SUMEET PRASHAR	Name of Employee
132855	128922		126223	126003	Emp. Code
EXE	EX		EXE	EXE	Desig.
QUALITY	CONTROL	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	QUALITY CONTROL	HEALTH/SAFET Y/ENVIRONME NT	Dept.
07/07/21	29/06/21	25/06/21	17/06/21	18/06/21	Eval. Date
1	2	н	 -	Н	No. Of Attempts
100%	100%	70%	80%	100%	Eval.
Qualified	Qualified	Not Qualified	Not Qualified	Qualified	Perform. Eval.
ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	Scheduled By
132855 - AMIT KUMAR - 07/07/21 16:41:15	128922 - SHASHI PAUL - 29/06/21 08:58:08	128922 - SHASHI PAUL - 25/06/21 17:24:38	126223 - ABHISHEK UPADHYAY - 17/06/21 15:21:21	126003 - SUMEET PRASHAR - 18/06/21 07:13:48	Sign of Trainee
116256 - NARA SINGH DANGI - 27/07/21 02:19:57	116256 - NARA SINGH 116605 - DANGI - 04/07/21 ABHISHE 08:14:33 12:07:01	116256 - NARA SINGH 116605 DANGI - 04/07/21 ABHISH 08:13:00 - 06/07, 12:06:4	116256 - NARA SINGH 116605 - DANGI - 04/07/21 ABHISHE 08:11:21 - 06/07/7 12:06:29	126003 - SUMEET 116256 - NARA SINGH 116605 PRASHAR - DANGI - 04/07/21 ABHISH 18/06/21 08:11:21 - 06/07, 07:13:48	Verified by (Incharge of area)
136849 - KAMALJIT SINGH BAGGA - 27/07/21 12:35:50	116605 - ABHISHEK THAKUR - 06/07/21 12:07:01	116605 - ABHISHEK THAKUR - 06/07/21 12:06:46	116605 - ABHISHEK THAKUR - 06/07/21 12:06:29	116605 - ABHISHEK THAKUR - 06/07/21 12:06:29	Verified by (Sign of QA)

S	=
is valid v	b sik
d without Signature	document h
t Sig	has
natur	been
ė	produced
	t has been produced electronically a
	and

ersion No	TAIL ON JOB I KAINING PARTICIPATION & EVALUATION RECORD (FOR SELF ONLINE TRAINING RELATED TO GMP/SOPS)	(A) Torrent
SOP Version No. 02	INE TRAINING RELATED TO GMP/SOPs)	* Torrent

TORRENT PHARMACEUTICALS LTD.

ON JOB TRAINING PARTICIPATION & EVALUATION RECORD

(FOR SELF ONLINE TRAINING RELATED TO GMP/SOPs)

: BIO-MEDICAL WASTE MANAGEMENT SYSTEM

Subject of GMP/SOP

Module/SOP Ref. No.

: BSG-041 - 03

No.) !	Purpose
No Name of Employee Emp. Desig. Dept.		še.
Emp.		(***)
Desig.		Re-Fresher Training
		r Training
Eval. Date		
No. Of		
F1		
Darform		
Cohodillad Di		
Eval. Date No. Of Eval. Perform Scheduled By Sign of Trainee		
Verified by		
Verified by (Sign		

	15	14	13	No.
	15 MAMTA.	14 NITIKA VERMA	13 GAGANPREET SINGH 133155	Name of Employee
	136171	136110	133155	Emp. Code
	EXE	EXE	EXE	Desig.
	HEALTH/SAFET Y/ENVIRONME NT	QUALITY	QUALITY	Dept.
	17/06/21	29/06/21	22/06/21	Eval. Date
	H	Þ	1	No. Of Eval. Perform. Attempts Eval.
	100%	100%	100%	Eval.
	Qualified	100% Qualified	100% Qualified ATEET GUPTA 115677	Perform. Eval.
	100% Qualified ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	ATEET KUMAR GUPTA - 115672	Scheduled By
	136171 - MAMTA 17/06/21 11:15:07	136110 - NITIKA VERMA - 29/06/21 08:46:48	133155 - GAGANPREET SINGH - 22/06/21 10:23:08	Scheduled By Sign of Trainee
	116256 - NARA SINGH 116605 - DANGI - 04/07/21 ABHISHE 08:11:21 - 06/07/2	116256 - NARA SINGH 116605 - DANGI - 04/07/21 ABHISHE 08:14:33 - 06/07/2 12:07:01	116256 - NARA SINGH 116605 - DANGI - 04/07/21 ABHISHE 08:11:21 - 06/07/2 12:06:30	Verified by (Incharge of area)
12:06:29	116605 - ABHISHEK THAKUR - 06/07/21	116605 - ABHISHEK THAKUR - 06/07/21 12:07:01	116605 - ABHISHEK THAKUR - 06/07/21 12:06:30	Verified by (Sign of QA)

This document has been produced electronically and is valid without Signature

Page No.004 of 004

Restricted Circulation