

20<sup>th</sup> June, 2023, Visakhapatnam.

To,
The Environment Engineer,
AP Pollution Control Board,
Regional Office,
VUDA Layout, Madhavadhara,
Visakhapatnam.

Subject- Submission of Annual Report of Bio Medical Waste in Form IV for the preceding Year.

Respected Sir,

With reference to the above said subject we are herewith submitting the annual report of Bio Medical Waste in Form IV for the preceding Year'2022 (i.e. Jun'22 to Dec'22).

Kindly acknowledge the receipt of the same.

Enclosure-Form IV

Thanking You

For Torrent Pharmaceuticals Limited

N. Rajyalakshmi

(Manager-HSE)

Solved and Shares and

### FORM - IV

## (Rule 13)

## ANNUAL REPORT

(To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)

S No.	Particulars	Details to be filled
1	Particulars of the Occupier	
	a) Name of the authorized person     (Occupier or operator of facility)	Rajyalakshmi. N
	b) Name of HCF or CBMWTF	Torrent Pharmaceuticals Limited
	c) Address for correspondence	Plot No 77, JN Pharmacity, Thanam (V), Parawada (M), Visakhapatnam-531021
	d) Address of Facility	Plot No 77, JN Pharmacity, Thanam (V), Parawada (M), Visakhapatnam-531021
	e) Tel. No., Fax No	0891-6136500- Extn-123/116
	f) E-mail ID	rajyalakshmin@torrentpharma.com
	g) URL of Website	www.torrentpharma.com
	h) GPS coordinates of HCF or CBMWTF	17.651347, 83.075535
	i) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other)
	j) Status of Authorization under the Bio- Medical Waste (Management and Handling) Rules	Order No. PCB/RO-VSP/BMW/HCE-611/2022-168 dated 26.04.2022 and Valid up to: 30.04.2027
	k) Status of Consents under Water Act and air Act	Order No. 135/APPCB/CFE/RO-VSP/HO/2018 Dated 20.03.2020 and Valid up to: 19.03.2027  Order No. APPCB/VSP/135/HO/CTO/2021  Dated 24.01.2023 and Valid up to: 31.12.2027
2	Type of Health Care Facility	I S
	a) Hospital	No. of Beds: 01(OHC)
	b) Non Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research institute or	Microbiology lab

	Veterinary Hospital or any other)		
3	Details of CBMWTF		
	c) Number healthcare facilities covered by CBMWTF	NA	
	d) No of beds covered by CBMWTF	NA	
	e) Installed treatment and disposal capacity of CBMWTF	Kg. per day	
	f) Quantity of biomedical waste treated or disposed by CBMWTF	Kg. per day	

			I	Details to be	filled	
S No.	Particulars	Category	Limit Kg/ month	Limit Kg/ Annum	Generated in 2022-23 in Kgs	Disposed in 2022-23 in Kgs
4	Quantity of waste generated	Yellow Category	180	2160	1025.215	1025.215
	OR Disposed in Kg per annum (on monthly	Red Category	5	60	4.925	4.925
	average basis)	White Category	0.5	6	0	0
		Blue Category	1	12	1.695	1.695
		General Solid waste	NA			
5	Details of the Stora Facility	ge , Treatment , transportation, processing and Disposal				
	a) Details of the	Size: -4x4x1	10 ft.			
	onsite storage					lition in
	facility				age at Ambier any other pro	t condition in vision)
	b) Disposal facilities	Type of Equipmen	nt	N of U	1	Quantity treated or disposed in kg/annum
		Incinerators		-		-
	4 (F)	Plasma	5	24	-	-
	4	Pyrolysis				

	Autoclaves		1	8.5	1020.183
	Microwave		-	-	-
.,	Hydroclave			<b></b>	
	Shredder		-	=	-
	Needle tip			-	-
	cutter /				
	Destroyer				
	Sharps		-	:#	-
	Encapsulation		_	-	-
	or				
	Concrete pits:		\ <del>-</del>	-	-
4	Deep burial		a <del>n</del>	-	-
	pits:				
	Chemical		1	5	3.694
	Disinfection		_		500
	Any Other		h-1	-	-
c) Quantity of	Nil				
recyclable waste		9			
sold to authorize					
recyclers after					
treatment in kg					
per annum.					
d) No of vehicles				<sup>7</sup> Vasishta	Environ care,
used for collection	VISAKHAPATN	AM (CBMW	TF)		
and transportation					
of biomedical					
waste					
		W = 2 W = 22	·		

Sr. No.	Particulars	Details to be fil	led	
140.	e) Details of incineration ash and		Quantity	Where
	ETP sludge generated and		Generated	Disposed
	disposed during the treatment	Incineration	NA	NA
	of waste in kg per annum	Ash	NA	NA
		ETP sludge	NA	NA
	f) Name of the common	Vasishta Enviro	on care, Plot No	: 27A25,
	biomedical waste treatment	L L L L L L L L L L L L L L L L L L L		
	facility operator through	Lalam Koduri (	Village);	
	which waste are disposed of	Rambilli Manda	al,	
	~ Hd	Visakhapatnam.		
	g) List of member HCF not handed over biomedical waste.	NA		
6	Do you have Biomedical waste management committee?  If yes, attached minutes of the meetings held during the reporting period.	Yes, Please find Sept'22 & Mar'		2 No MOM's held in
7	Details of training conducted on	BMW		
	a) No. of training conducted on BMW management.	03		2 1
	b) Number of personnel trained	28		
	c) Number of personnel trained at time of induction	28		
	d) Number of personnel not undergone any training so far	Nil		8
	e) Whether standard manual for training is available?	or Yes, We have SOP (VASF-001 for Bio Medical Waste management system)		
	f) Any other information	,		

Sr. No.	Particulars	Details to be filled	
8	Details of the accident occurred during the year		
	a) Number of accident occurred	Nil	
	b) Number of the persons affected	Not applicable	
	c) Any Fatality occurred details	Nil	
9	11000	of air pollution from the incinerator? How many	
	times in last year could not m	eet the standards? Details of continuous online	
	emission monitoring system insta	lled	
	NA		
10	Liquid waste generated and	Treatment method in progress as per SOP-VASF-	
	treatment methods in place.	001	
	How many times you have not	Nil	
	met the standards in a year?		
11	Is the disinfection method on		
	sterilization meeting the log 4	Yes,	
	standards? How many times you	N11	
	have not met the standards in a		
	year?		
12	Any other relevant information	As per SOP BMW facility inspection will be done	
		once in a year.	
		Immunization of handlers is in progress.	
	21	ē 2	

Date: 20/06/2023

Place: Visakhapatnam

Name and Signature of the Head of the Institution

15. .... 18. 18.



#### AMNEXURE-X

## TORRENT PHARMACEAUTICALS LINITED-VISAKHAPATNAM MINUTES OF MEETING OF BIO-NIEDICAL WASTE MANAGEMENT COMMITTEE

REF SOP No: VASF-001-03 Page No 01 of 01

Date: 21 /03 / 2013

Sr.No	Minutes Description/Compliance	Remarks
οl	BMW disposal Carried for solid coaste	Trolley with bin a marged.
52-	Bylo disposal Caller to liquid voiste	win he arranged
ಾ	weightment machine As microbiology coast assignment to be arranged	weighing machine autiable at Sheedig ace, will the Cle the working condition of
047 bx		the madrine & based on 15th head suggestion mething machine will shift
		to haraedow shed alea.

Prepared by Sign. & Date

Reviewed by 21 03 23 Sign. & Date

File Name:	Prepared By:	Checked By:	000001111000
VASF-001-03	(Sign. & Date)	Windson (Sign. & Date)	15/12/11/20 Pr

LOS NOS 2/18/2019 NCE COPY , A

MASTER COPY

ATTACHMENT - IX



Restricted Circulation Title: Training Evaluation Record (Training Other Than TMS) 1 of 1 CQA-093-03 Reference SOP No. TORRENT PHARMACEUTICALS LTD. TRAINING EVALUATION RECORD (TRAINING OTHER THAN TMS) Date of Training WASTE COUNTEE MEETENG Title/Subject MA-Ref. Topic No. YASP-OOL (HALF YEARLY MEETZAW) Purpose Faculty/Trainer Conference Hall Venue/Area/Location of Training : Admin Training Duration : From 11:00 hrs. to \*Perform Eval. Sign/Date No. of Empl. Sr. Design. Dept. Name of Trainee Eval. Attempts of Trainee Code No. HRE Adul TA 188022 R. Krishine 01 (Oc 128112 K-Pavani HE 136164 HR Exe HP 8 139851 7 M HSE AMAHESWARARD 4097 HSE HSE A.M MSE 137670 TA HIR 10 21/03/22 Note: For External Person, details about Name and Sign/Date shall be mentioned. Evaluation details shall be mentioned, if require \*Performance Evaluation: Qualified / Trained / Not Qualified & Requires Retraining Reviewed By (Sign of QA) Sign of Faculty/Trainer Date Date

Form No.: CQA-093-F009-01

Prepared by:
Samir Pate | Sami



1809.835; A

ANNEXURE-X

TORRENT PHARMACEAUTICALS LIMITED-VISAKHAPATNALI
MINUTES OF MEETING OF BIO-MEDICAL WASTE MANAGEMENT COMMITTEE
REF SOP No: VASF-001-02
Page No 01.0f01

Date: 22 / 09 / 22

Sr.No	Minutes Description/Compliance	Remarks
ol	BMW disposal Carrier. for Osc microbiology Lab is not implemented	BMUI disposal corriers.  Provision for BC Shall.  be implemented on  energency basis.
<b>0</b> 2	SS container for Bio Medical Interste handling with.  sentable consuming capacity to be provided	Scantaines, to be procured in the next year Capex.
03.	BMW disposal focquency to be reviewed.	Will discuss with vendor, and dispose
1		the generated BMW ASAP.
	NA Selente	

Prepared by Sign.&Date Reviewed by Sign. & Date 22/24/22

File Name:	Prepared By: Significant	Checked By:
VASF-001-02	(Sign. & Date)	(Sign. & Date) 16 In 17021

<b>电影 E 燕</b> 叮	IN PART SING	19 19	IN THE
MAST	THE REAL PROPERTY.		WVI
HIF W	Mai 1		it did.

# ATTACEMENT - IX

V 1892 1999	r gadi wa
A STATE OF THE PARTY OF THE PAR	rtorren
200	
杜邦	Torren
	A ST AT ALL STORE

TITLE: TRINING EVALUATION RECORD (TRAINING OTHER THAN TMS)	
Form No. NA Reference SOP No. CQA-093 SOP Version No. 02	
TORRENT PHARMACEUTICALS LTD.  TRAINING EVALUATION RECORD  (TRAINING OTHER THAN TMS)	
te of Training: 22/09/22	14
tle/Subject: BPO MEDICAL WASTE COMMITTEE MPETING	
f. Topic No.: - NA -	
rpose : HACF YEARLY MBBTENG	
culty/Trainer:	
enue/Area/Location of Training: 2-Block CONPERENCE HALL	
Name of Trainee   Empl.   Design.   Dept.   Sign/   No. of   Eval.   *Perform   Trainee   Trainee   Trainee   Code   Perform   Code   Design.   Dept.   Code   Design.   Dept.   Sign/   Attempts   Trainee   Code   Code   Design.   Dept.   Dep	Eval.
1. DrG.M.V. Avirage 136164 A-M +10 Ofwint	
2. Usharani Choudani 132740 Exe HR (22/09/22)	
3- RATHALAKSHMIN 133195 Mayong HOR 252/01/2	
1. 1x. Pavani 128112 Pre BC (1846)	
5 Sweet Nath Roy 117907 AGM HR Daylog/2	
L. INTICAK 137670 A.M MSE XMarido	-731
7 Fraz Ahmed Fhan. 136397 TA HISE Earligh	
X K. Sunny Jogdap 136610 Gre HSE Ruguin	
WA	
- Grewn	
	7
ote: For External Person, details about name and sign shall be mentioned.  valuation details shall be mentioned, if require.  Performance Evaluation: Qualified/Trained /Not Qualified & Requires Retraining	ad a
Sign of Faculty/Trainer:  Date:  Date	9/09/
Page 1 of 1 Restricted Circu	lation