

30<sup>th</sup> June, 2022

Visakhapatnam

To

The Environment Engineer

AP Pollution Control Board

Regional Office

VUDA Layout, Madhavadhara, Visakhapatnam

Andhra Pradesh-530009

Subject- Submission of Annual Report of Bio Medical Waste in Form IV for the preceding Year.

Respected Sir,

With reference to the above said subject, we are herewith submitting the annual report of Bio Medical Waste in Form IV for the preceding Year.

Kindly acknowledge the receipt of the same.

Enclosure- Form IV

Thanking You

For Torrent Pharmaceuticals Limited



30/06/2022

**N Rajyalakshmi**  
**(Manager-HSE)**

---

**TORRENT PHARMACEUTICALS LIMITED**

CIN : L24230GJ1972PLC002126

Plot No. 77, Jawaharlal Nehru Pharmacy, Thanam Village, Parawada Mandal, Visakhapatnam Dist.-531021 A.P. Ph. : 0891-6136500

Reg. Office : Torrent House, Off Ashram Road, Ahmedabad - 380 009, India. Phone : +91 79 26585090 www.torrentpharma.com

**FORM – IV**  
**(Rule 13)**  
**ANNUAL REPORT**

(To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF))

S No.	Particulars	Details to be filled
1	<b>Particulars of the Occupier</b>	
	a) Name of the authorized person (Occupier or operator of facility)	Ranjit Suryawanshi
	b) Name of HCF or <del>CBMWTF</del>	Torrent Pharmaceuticals Limited
	c) Address for correspondence	Plot No 77, JN Pharmacy, Thanam (V), Parawada (M), Visakhapatnam-531021
	d) Address of Facility	Plot No 77, JN Pharmacy, Thanam (V), Parawada (M), Visakhapatnam-531021
	e) Tel. No., Fax No	0891-3016502- Extn-108/116
	f) E-mail ID	<a href="mailto:RanjitSuryawanshi@TorrentPharma.com">RanjitSuryawanshi@TorrentPharma.com</a>
	g) URL of Website	<a href="http://www.torrentpharma.com">www.torrentpharma.com</a>
	h) GPS coordinates of HCF or <del>CBMWTF</del>	17.651347, 83.075535
	i) Ownership of HCF or <del>CBMWTF</del>	(State Government or Private or Semi Govt. or any other)
	j) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	<b>Order No. PCB/RO-VSP/BMW/HCE-611/2022-168</b> dated 26.04.2022 and Valid up to: 30-04-2027
	k) Status of Consents under Water Act and air Act	<b>Order No. 135 /APPCB/CFE/RO-VSP/HO/2018</b> dated 20.03.2020 and Valid up to: 20.03.2027 <b>Order No. APPCB/VSP/VSP/135/HO/CFO/2021</b> dated 23.04.2021 and Valid up to: 31-12-2022
2	<b>Type of Health Care Facility</b>	
	a) Hospital	No. of Beds: 01(OHC)
	b) Non Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research institute or Veterinary Hospital or any other)	NA
3	<b>Details of CBMWTF</b>	
	c) Number healthcare facilities covered by CBMWTF	NA
	d) No of beds covered by CBMWTF	NA
	e) Installed treatment and disposal capacity of CBMWTF	Kg. per day
	f) Quantity of biomedical waste treated or disposed by CBMWTF	Kg. per day

S No.	Particulars	Details to be filled			
		Category	Limit Kg/month	Waste Generated in 2021	Waste Disposed in 2021
4	Quantity of waste generated OR Disposed in Kg per annum (on monthly average basis)	Yellow Category	180	828.07 Kgs	872.47 Kgs
		Red Category	5	2.475 Kgs	2.475 Kgs
		White Category	0.5	0.45 Kgs	0.45 Kgs
		Blue Category	1	0.76 Kgs	0.76 Kgs
		General Solid waste	NA	NA	
5	<b>Details of the Storage , Treatment , transportation, processing and Disposal Facility</b>				
	a) Details of the on site storage facility	Size : - Capacity: 400 Kgs Provision of on-site storage: Storage at Ambient condition but closed container. (cold storage or any other provision)			
	b) Disposal facilities	Type of Equipment	No of Units	Capacity kg/day	Quantity treated or disposed in kg/annum
		Incinerators	-	-	-
		Plasma Pyrolysis	-	-	-
		Autoclaves	2	2	868.16
		Microwave	-	-	-
		Hydroclave	-	-	-
		Shredder	-	-	-
		Needle tip cutter OR Destroyer	-	-	-
		Sharps	-	-	-
		Encapsulation or	-	-	-
		Concrete pits:	-	-	-
		Deep burial pits:	-	-	-
Chemical Disinfection	-	-	-		
Any Other	-	-	-		
c) Quantity of recyclable waste sold to authorize recyclers after treatment in kg per annum.	-				

	d) No of vehicles used for collection and transportation of biomedical waste	The transport has been provided by MARIDI ECO INDUSTRIES (ANDHRA) PRIVATE LIMITED, VISAKHAPATNAM (CBMWTF)
--	--	---

Sr. No.	Particulars	Details to be filled		
			Quantity generated	Where disposed
	e) Details of incineration ash and ETP sludge generated and disposed during the treatment of waste in kg per annum	Incineration	NA	NA
		Ash	NA	NA
		ETP sludge	NA	NA
	f) Name of the common biomedical waste treatment facility operator through which waste are disposed of	Maridi Eco Industries (Andhra) private Limited, Sy. No-314, Kapulupada(V), Bheemunipatnam (M) Visakhapatnam		
	g) List of member HCF not handed over biomedical waste.	NA		
6	<b>Do you have Biomedical waste management committee? If yes, attached minutes of the meetings held during the reporting period.</b>	Yes, we have bio medical waste committee consist of 08 No.of people along with chairman and secretary.		
7	<b>Details of training conducted on BMW</b>			
	a) No. of training conducted on BMW management.	03		
	b) Number of personnel trained	27		
	c) Number of personnel trained at time of induction	01		
	d) Number of personnel not undergone any training so far	Nil		
	e) Whether standard manual for training is available?	Yes, We have an SOP (VASF-001 for Bio Medical Waste management system)		
	f) Any other information	NA		
8	<b>Details of the accident occurred during the year</b>			
	a) Number of accident occurred	00		
	b) Number of the persons affected	00		
	c) Any Fatality occurred details	00		
9	<b>Are you meeting the standard of air pollution from the incinerator? How many times in last year could not meet the standards? Details of continuous online emission monitoring system installed</b>			
	NA			

Sr. No.	Particulars	Details to be filled
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	NIL, NA
11	Is the disinfection method on sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes, Nil
12	Any other relevant information	-

Date: 30/06/2022

Place: Visakhapatnam

SR

*[Handwritten Signature]*



Name and Signature of the Head of the Institution