

SUNPROTECT PREMIA SPF 50 LOTION

Abbreviated Prescribing information for **SUNPROTECT PREMIA SPF 50 LOTION** [Ethyl Hexyl Methoxycinnamate (and) Diethylamino Hydroxybenzoyl Hexyl Benzoate, Octocrylene, Benzophenone-3, Zinc Oxide (and) Triethoxycaprylylsilane Lotion] [Please refer the complete prescribing information available at www.torrentpharma.com]

PHARMACOLOGICAL PROPERTIES: Sunprotect premia SPF 50 consists of organic sunscreen molecules which share a common basic mechanism of action. The molecules are raised to a state of higher state of energized orbital on absorption of photons from UV radiation. This energized state is highly unstable and is rapidly converted to a more stable form by losing energy and attaining ground state. The energy released is of a longer wavelength (lower energy) that does not damage biological structures. The molecule in ground state can again be recycled for UV ray's absorption.

INDICATION: A sunscreen lotion for prevention of sunburn skin. It is also used in sun induced and post-procedural hyperpigmentation, photoprotection and in photo aging.

DIRECTIONS FOR USE: Press the nozzle to pump out adequate amount of lotion & apply on face, neck and exposed area of the skin 20-30 minutes prior to sun exposure. Reapply after swimming, sweating or physical activity.

CONTRAINDICATION: Avoid prolonged exposure to sun. Sun-sensitive persons particularly should exercise caution. Do not use sunscreens on eczematous or inflamed skin. Vitamin D deficiency may occur in elderly patients.

WARNINGS & PRECAUTIONS: Avoid contact with eyes, flush water immediately in case of accidental contact, reapply after swimming, sweating, physical activity or advised, discontinue use, if signs of irritation or rash appear, wear protective eye covering or sunglasses, UV can cause corneal damage, keep out of reach of children, prolonged exposure to the sun is harmful, shake well before use, use under medical supervision, keep the cap tightly closed after used.

ADVERSE REACTIONS: Acne, dryness, burning, itching or stinging of skin, early appearance of redness or swelling of the skin, late appearance of rash with or without weeping blisters that become crusted, especially in sun exposed areas and may extend to unexposed areas of skin, pain in hairy areas and pus in hair follicles.

MARKETED BY:



TORRENT PHARMACEUTICALS LTD.

Torrent House, Off Ashram Road,
Ahmedabad-380 009, INDIA

IN/ SUNPROTECT PREMIA SPF 50 LOTION/SEP-16/02/ABPI

(Additional information is available on request)